

	Westen	500	1000	1500	2000	2500	3000	3500	3000	2500	2000	1600	1000	500	Osten
<i>Rhescyntis norax</i> Druce, <i>Arsenura arcaei</i> Druce, <i>Dysdaemonia boreas</i> Cr., <i>tamerlana nobilis</i> Schs., <i>Copiopteryx semiramis</i> Cr., <i>Copaxa multifenestrata</i> H. Sch., <i>Lenomia concordia</i> Druce, <i>electra</i> Druce, <i>obliqua</i> Wlk., <i>aneides</i> Druce, <i>Oxytenis honesta</i> Stoll, <i>Drepanopteryx sicula</i> Weym., <i>Attacus bolivar</i> M. u. W., <i>hesperus</i> L., <i>Automeris titania</i> Fld., <i>zozine</i> Druce, <i>egeus</i> Cr., <i>theresa</i> Weym., <i>eurypa</i> Möschl., <i>angulatus</i> Conté, <i>hübneri</i> Bsd., <i>Dirphia menander</i> Druce, <i>ursina</i> Wlk., <i>pomona</i> Fld., <i>Grammapella fuscovenosa</i> Weym.															
Dysdaemonia <i>timur</i> Weym., <i>Attacus belis</i> Wlk., <i>Automeris liberia</i> Cr., <i>illustris</i> Wlk., <i>venosus</i> Bl., <i>aulestes</i> H. Sch., <i>fassli</i> Weym., <i>Dirphia tarquinia</i> Cr.															
<i>Dirphia eumedide</i> Stoll, <i>Dysdaemonia pluto</i> Westw.															
<i>Dirphia semirosea</i> Wlk., <i>mota</i> Druce, <i>Oxytenis fulvofasciata</i> Weym.															
<i>Sagana zapatoza</i> Westw., <i>Attacus aricia</i> Wlk., <i>Automeris leucane</i> Hübn.															
<i>Attacus zacateca</i> Westw., <i>Automeris flexilineata</i> Dgn.															
<i>Automeris saturniata</i> Fld., <i>Dirphia litura</i> Wlk., <i>Hemileuca venosa</i> Wlk.															
Ceratocampidae überhaupt:															
<i>Eacles magnifica</i> Grote, <i>Sisphinx molina</i> Stoll															
<i>Eacles ormondei</i> Schs., <i>Citheronia mexicana</i> Grote, <i>Adelocephala fallax</i> Bsd., <i>columbia</i> Schs., <i>anthoni</i> H. Sch., <i>argyrocantha</i> Bsd.															
<i>Adeloceph.</i> <i>walkeri</i> Grote, <i>Eacles fenestrata</i> Rotsch.															
Notodontidae überhaupt:															
<i>Crinodes ritsemae</i> Bull., <i>beskei</i> Hübn., <i>Hapigia raatzi</i> notricornis Guen., <i>smerinthoides</i> Wlk., <i>Colas apulus</i> Cr., <i>Ophytes cvllota</i> Druce, <i>Rhuda phocula</i> Zelica <i>thalassina</i>															
<i>Rosema apicalis</i> Wlk.															
<i>Xylentes putridus</i> Perch., <i>xylotribus</i> H. Sch., <i>Therinia transversaria</i> Druce, <i>lactucina</i> Cr.															
<i>Epia muscosa</i> , <i>Stenele translata</i> Wlk.															
Noctuidae überhaupt:															
<i>Orthia augias</i> H. Sch.															
<i>Palindia dominicata</i> Guen., <i>alabastaria</i> , <i>Gonodonta pyrgo</i> Cr., <i>Ophideres procius</i> L., <i>serpentina</i> Druce															
<i>Vespolia caeruleifera</i> Wlk.															
<i>Plusia rogationis</i> Gn, <i>Darecta hesperina</i> H. S., <i>Palindia ilyrias</i> Cr.															
<i>Erebis odora</i> L.															
Geometridae überhaupt:															
<i>Urania fulgens</i> Wlk., <i>Sangala beata</i> Wlk., <i>Ametrix netrix</i> Cr., <i>Amblychia scolopacea</i> Drury, <i>Trigodes niobe</i> Druce, <i>musivaria</i> H. Sch.															
<i>Urania leilus</i> L., <i>Micropus longalis</i> Hbn., <i>Racheaspila albicoma</i> Fld.															
<i>Sangala gloriosa</i> Wlk., <i>Dioplis hesperioides</i> Wlk.															
<i>Diplochroa bicentraria</i> H. Sch., <i>Heterusia placilla</i> Druce															
<i>Siga liris</i> Cr.															